

2023 CATALOG



AUTO GLASS TECH & TOOLS

www.wrdglasstools.com





WRD-S4-300P

P Version Kit Includes:



Angle Driver 2.0 - WRD-AD2

WRD-S4-300

WRD - Spider 4 - Kit 300

Cutting fiber line removal system.

Provides safe and efficient auto glass panel removal.

- Highest safety standard removal
- Winding and anchoring in single streamlined frame
- Low profile design
- Cordless drill operation via side connection

Kit Contents

- Spider 4 Cup Assembly WRD-SA4
- Spider Line P8 (96m) WRD-P8-96
- Anchor Cup With Concave Rub Pad WRD-A3
- Cutting Line Threader WRD-T
- Dash Protector WRD-DP
- Cutting Line Dispenser 2.0 WRD-LD2
- Pick Tool WRD-MP
- S4 Bit WRD-S4B
- Install Stick WRD-IS
- Cutting Line Holder Pins WRD-LP
- Spider 4 Plastic Tool Case WRD-PB4
- Instruction Manual

Available colors:







WRD-S3-300W

W Version Kit Includes:



■ Angle Driver 2.0 - WRD-AD2

WRD-S3-300K

WRD - Spider 3 - Kit 300 K

Cutting fiber line removal system. Provides safe and efficient auto glass panel removal.

- Low profile design
 - Cordless drill operation via side connection

Kit Contents

- Spider 3 Cup Assembly WRD-SA3
- Spider Line P8 (96m) WRD-P8-96
- Anchor Cup With Concave Rub Pad WRD-A3
- Cutting Line Threader WRD-T
- Dash Protector WRD-DP
- Pick Tool WRD-MP
- Bit Set WRD-BS
- Cutting Line Dispenser WRD-LD
- Install Stick WRD-IS
- Cutting Line Holder Pins WRD-LP
- Spider 3 Plastic Tool Case WRD-PB3
- Instruction Manual

Available colors:









WRD-OBQC-300

WRD - Orange Bat Quick Connect - Kit 300

Cutting fiber line removal system. Provides safe and efficient auto glass panel removal.

- Dual spindle design with Quick Connect port
- Cordless drill or hand crank operation via top connection
- Includes anchor cup

Kit Contents

- Orange Bat QC Assembly WRD-OBQCA
- Anchor Cup With Concave Rub Pad WRD-A3
- Spider Line PN8 (96m) WRD-PN8-96
- Hand Crank 360 WRD-HC
- Cutting Line Threader WRD-T
- Dash Protector WRD-DP
- Pick Tool WRD-MP
- S4 Bit WRD-S4B
- U Bit WRD-UB
- Cutting Line Dispenser WRD-LD
- Install Stick WRD-IS
- Cutting Line Holder Pins WRD-LP
- Orange Bat Plastic Tool Case WRD-OBPB
- Instruction Manual

Available colors:





WRD-OBQC-300P

P Version Kit Includes:



► Angle Driver 2.0 - WRD-AD2

WRD-OB-300K WRD - Orange Bat - Kit 300 K

Cutting fiber line removal system.

Provides safe and efficient auto glass panel removal.

- Dual spindle design
- Cordless drill or hand crank operation via top connection
- Very nice tool

Kit Contents

- Orange Bat Assembly WRD-OBA
- Spider Line PN8 (96m) WRD-PN8-96
- Hand Crank 360 WRD-HC
- Cutting Line Threader WRD-T
- Dash Protector WRD-DP
- Pick Tool WRD-MP
- Bit Set WRD-BS
- U Bit WRD-UB
- Cutting Line Dispenser WRD-LD
- Install Stick WRD-IS
- Cutting Line Holder Pins WRD-LP
- Orange Bat Plastic Tool Case WRD-OBPB
- Instruction Manual

Available colors:







WRD-OB-300W

W Version Kit Includes:



Angle Driver 2.0 - WRD-AD2





WRD-Pro6-2in1-B150

WRD Pro6 System 2-in-1 Base Kit 150

Cutting fiber line removal system and multi-purpose glass panel handling cups. Provides safe and efficient removal and glass panel handling.

Kit Contents

- 17" Tool Tote PRO6-TT
- Removal Glass Handling Cup WRD-PRO6-R
- Anchor Glass Handling Cup WRD-PRO6-A
- Spider Line X48 (48m) WRD-X-48
- Hand Crank 360 WRD-HC
- Dash Protector WRD-DP
- Cutting Line Threader WRD-T
- Bit Holder WRD-BIT
- Pick Tool WRD-MP
- Install Stick WRD-IS
- Instruction Manual



WRD-Pro6-2in1-A275

WRD Pro6 System 2-in-1 Advanced Kit 275

Cutting fiber line removal system and multi-purpose glass panel handling cups. Provides safe and efficient removal and glass panel handling.

- Interchangeable attachment locking mechanism
- Cordless drill or hand crank operation via top connection
- Includes angle driver and high gauge cutting line

Kit Contents

- 17" Tool Tote PRO6-TT
- Removal Glass Handling Cup WRD-PRO6-R
- Anchor Glass Handling Cup WRD-PRO6-A
- Spider Line X48 (48m) WRD-X-48
- Spider Line P8 (34m) WRD-P8-34
- Hand Crank 360 WRD-HC
- Angle Driver 2.0 WRD-AD2
- Dash Protector WRD-DP
- Cutting Line Threader WRD-T
- Pick Tool WRD-MP
- Bit Holder WRD-BIT
- Install Stick WRD-IS
- Instruction Manual





WRD-Pro6-3in1-425

WRD PRO6 System 3-in-1 Kit 425

Cutting fiber line removal system and multi-purpose glass panel handling cups. Provides safe and efficient removal and glass panel handling.

Kit Contents

- 17" Tool Tote PRO6-TT
- Removal Glass Handling Cup WRD-PRO6-R
- Anchor Glass Handling Cup WRD-PRO6-A
- Base Handling Cup WRD-PRO6-B
- Spider Line XN96 (96m) WRD-XN-96
- Spider Line P8 (34m) WRD-P8-34
- Angle Driver 2.0 WRD-AD2
- Dash Protector WRD-DP
- Dash Protector XL WRD-DPXL
- Cutting Line Threader WRD-T
- Hand Crank 360 WRD-HC
- Extended Arm PRO6-EADouble Hook PRO6-DH
- Pick Tool WRD-MP
- Bit Holder WRD-BIT
- Install Stick WRD-IS
- Instruction Manual

ALL NEW

TAP KNIFE

Quick quarter panel urethane cutting knife.



- Speedy pre-cut prep for quarter panels
- High quality carbon steel blade
- Double edge pre-sharpened
- Ergonomic handle

Pg. 15





WRD-PRO6-IS

WRD PRO 6 Install System

One person auto glass panel setting system. Provides a safe and efficient setting solution.

Kit Contents

- Base Handling Cup WRD-PRO6-B
- Extended Arm PRO6-EA
- Double Hook PRO6-DH
- 17" Tool Tote PRO6-TT
- Instruction Manual



PRO6-EA Extended Arm

Provides leverage to handle glass panels.



PRO6-DH Double Hook

One technician installation attachments for PRO6 systems.



PRO6-PP
Positioning Assistant

Dry set windshield aligner used with the one man setting system.



WRD-PRO6-B
Base Handling Cup

Multi-purpose glass handling cup.



WRD-4RD

WRD 4" Dock™ Kit

Companion quarter glass panel removal system. Designed for safe and efficient side glass panel extraction.

Kit Contents

- 4" Removal Dock Base WRD-RD
- 4" Removal Dock Spindle/Shaft WRD-RDH
- 9pcs 3M Adhesive Pads WRD-RD3M-9
- Molding Protector S WRD-DPS
- Bit Set WRD-BS
- 4" Removal Dock Case WRD-PBRD
- Instruction Manual



WRD-RD

4" Removal Dock Base

Standalone 4" dock. Unique design combines a center pulling point together with a anchoring/feeding solution.



WRD-RD3M-9

9pcs 3M Adhesive Pads

Pack of 9 high tack 3M removal pads for quick temporary fastening of the Removal Dock.



WRD-RDH

4" Removal Dock Spindle/Shaft

Replacement spindle for 4" Removal Dock



WRD-RDBL

Removal Dock Bolt

Replacement bolt for the Removal Dock Base.





WRD-RKS

WRD Rhino Knife Set

Original WRD Rhino™ cold knife set.

- Ergonomic handle and compact design
- No exposed metal components
- Magnet based Quick-slot blade insertion
- Heat treated carbon steel blades

Kit Contents:

- Rhino Knife™ WRD-RK
- 1pc 38mm Rhino Blade WRD-RB38
- 1pc 25mm Rhino Blade WRD-RB25
- 1pc 19mm Rhino Blade WRD-RB19



WRD-RK WRD Rhino Knife™

WRD original cold knife. High strength, lightweight composite plastic base. Quick-slot™ magnetized blade insertion.



WRD-RB38

10pcs 38mm Rhino Blade

11/2 inch (38mm) cut length Rhino Blade produced by UltraWiz®. Reliable, sharp, and tough carbon steel construction.



WRD-RB25

10pcs 25mm Rhino Blade

1 inch (25mm) cut length Rhino Blade produced by UltraWiz®. Reliable, sharp, and tough carbon steel construction.



WRD-RB19

10pcs 19mm Rhino Blade

3/4 inch (19mm) cut length Rhino Blade produced by UltraWiz®. Reliable, sharp, and tough carbon steel construction.

7





WRD-SKB

Pro Scraper™ - Kit B

Offers the safest standard in pinchweld preparation. Features two Razor Blade 10 packs.

Kit Contents

- Scraper Tool WRD-SB
- Diamond Sharpening Stone WRD-SS153
- Diamond Sharpening Pen WRD-SP130
- 12mm Stingray Blade for SB16 WRD-SRB12
- 17mm Stingray Blade for SB16 WRD-SRB17
- Scraper Tool Case WRD-SKPB
- 10pcs 16mm Blades for SB16 B16
- 10pcs 20mm Blades for SB16 B20



WRD-SKM

Pro Scraper™ - Kit M

Offers the safest standard in pinchweld preparation. Features two Moon Blade™ 5 packs.

Kit Contents

- Scraper Tool WRD-SB
- Diamond Sharpening Stone WRD-SS153
- Diamond Sharpening Pen WRD-SP130
- 12mm Stingray Blade for SB16 WRD-SRB12
- 17mm Stingray Blade for SB16 WRD-SRB17
- Scraper Tool Case WRD-SKPB
- 5pcs 16mm Moon Blades WRD-M16
- 5pcs 20mm Moon Blades WRD-M20



SB16

Urethane Scraper Tools

Ergonomic, non-slip handle. Aluminum shaft with quickchange collet. Includes pack of 10 5/8 inch (16mm) super sharp blades.



WRD-SB

Scraper Tool

Standalone scraper tool - without blades.





WRD-SBC

SB Collet and Sleeve

Replacement collet and sleeve for the WRD Scraper Tool.



WRD-SRB09

9mm Stingray Blade for SB16

11/32 inch (9mm) curved razor blade designed for optimal pinchweld preparation.



WRD-SRB12

12mm Stingray Blade for SB16

15/32 inch (12mm) curved razor blade designed for optimal pinchweld preparation.



WRD-SRB17

17mm Stingray Blade for SB16

11/16 inch (17mm) curved razor blade designed for optimal pinchweld preparation.



WRD-M16

5pcs 16mm Moon Blades

Scraper blades with Trim Safe™ optimized blade edge radius



WRD-M20

5pcs 20mm Moon Blades

Scraper blades with Trim Safe™ optimized blade edge radius



B16

10pcs 16mm Blades for SB16

5/8 inch (16mm) SB Scraper Tool blade replacement pack. Super shape blades.



B20

10pcs 20mm Blades for SB16

25/32 inch (20mm) SB Scraper Tool blade replacement pack. Super shape blades.



WRD-SS153

Diamond Sharpening Stone

400 grit 153mm x 51mm x 8mm dual sided sharpening stone. Evenly distributed monocrystalline diamonds grains bonded to aluminum base.



WRD-SP130

Diamond Sharpening Pen

600 grit 130mm x 6mm conical sharpening pen. Evenly distributed monocrystalline diamond grains bonded to an aluminum base.





WRD Spider Line P8 Series

Heavy gauge cutting line, all applications, fast cutting process, with best reusability rate.

Technical Specifications:



- Up to 10 removals per length
- Tensile Strength: 365 Lb
- Diameter: 1.00mm
- Solid braiding construction
- Low salvage removal rate
- Heavy duty abrasion resistance coating

Available Sizes:

- **P8-96** 315 feet (96m) 14 pre-marked lengths
- **PN8-96** 315 feet (96m) no pre-marked lengths
- **P8-34** 112.5 feet (34m) 5 pre-marked lengths
- **P8-C** 22.5 feet (6.85m) 1 length



WRD Spider Line X Series

Mid gauge cutting line, all applications, great balance in high tensile strength and cutting ability, great reusability rate.

Technical Specifications:



- Up to 7 removals per length
- Tensile strength: 320 Lb
- Diameter: 0.85mm
- Solid braiding construction
- Good salvage rate
- Heavy duty abrasion resistance coating

Available Sizes:

- **XN-96** 315 feet (96m) no pre-marked lengths
- **X-48** 157.5 feet (48m) 7 pre-marked lengths
- **X-C** 22.5 feet (6.85m) 1 length





WRD Spider Line P6 Series

Super thin cutting line, excellent cutting ability with good tensile strength, moderate reusability rate.

Technical Specifications:



- Up to 4 removals per length
- Tensile strength: 245 Lb
- Diameter: 0.65mm
- Great salvage removal rate
- Heavy duty abrasion resistance coating

Available Sizes:

- **P6-96** 315 feet (96m) 14 pre-marked lengths
- **P6-C** 22.5 feet (6.85m) 1 length



WRD Spider Line P10 Series

Commercial vehicle cutting line, designed to cut through the most difficult urethane beads. Engineered for maximum tensile strength and cutting ability.

Technical Specifications:



- Up to 12 removals per length
- Tensile Strength: 425 Lb
- Diameter: 1.20mm
- Solid braiding construction
- Low salvage removal rate
- Heavy duty abrasion resistance coating

Available Sizes:

• **PN10-80** - 262 feet (80m) - no pre-marked lengths





Colors: 0

WRD-SA4

Spider 4 Cup Assembly

Cutting fiber line removal device

- Highest safety standard removal
- Cordless drill operation
- Winding and anchoring in a single streamlined frame



WRD-SA3

Spider 3 Cup Assembly

Cutting Fiber Line Removal Device

- Compact low profile design
- Light weight
- Cordless drill operation
- Side connection



Colors: 0





WRD-OBQCA Orange Bat QC Assembly

Cutting Fiber Line Removal Device

- Dual spindle design
- Quick connect mount point
- Cordless drill or manual operation
- Top connection



Colors:

WRD-OBA **Orange Bat Assembly**

Cutting Fiber Line Removal Device

- Dual spindle design
- Compact and light weight
- Cordless drill or manual operation
- Top connection



Colors:





Anchor Cup With Concave Rub Pad

4 ½ " (117mm) concave lever suction cup with a clamping platform to secure the cutting fiber line. Designed to handle side torque.



WRD-PRO6-B **Base Handling Cup**

Multi-purpose glass handling cup.



WRD-PRO6-R

Removal Glass Handling Cup

Multi-purpose glass handling cup with removal system.



WRD-PRO6-A

Anchor Glass Handling Cup

Multi-purpose glass handling cup with anchor cup system



WRD-H1

Fiber Line Hand Puller

Provides secure cutting line attachment method. Great tool for removing small glass panels, spoilers, flares, antennas, badges and emblems.



WRD-HIP

Fiber Line Hand Puller Pair

Pair of two fiber line hand pullers.





WRD-HC

Hand Crank 360

Manual operation for Orange Bat and PRO6 systems.

- Low profile design
- 360° rotation





WRD-IS

WRD Install Stick

Notched end helps guide cutting line under the glass panel. Eye end helps guide cutting line under the sealing lips and encapsulations.



WRD-DPS

WRD Molding Protector S

6" x 2" (150*55 mm). Pack of 10 molding protector sheets. Designed with three different corner radiuses and one sharp corner edge. Helps protect molding and paintwork.



WRD-DP

WRD Dash Protector

9.5" x 7" (240*180 mm). Protector sheet designed with three different corner radiuses, helps protect the interior of the vehicle.



WRD-DPL

WRD Dash Protector L

13" x 6.5" (330*165 mm). Unique design provides optimal protection to interior of vehicle.



WRD-DPXL

WRD Dash Protector XL

16" x 9.5" (410*240 mm). Extra large design for dash protection of larger vehicles.



Colors:

WRD-T

WRD Cutting Line Threader

Spring steel blade, notched tip and side groves. Allows the technician to efficiently push cutting line through the adhesive.



Colors:

WRD-MP

WRD Pick Tool

Handy hook tool which allows the technician to easily pick up the cutting fiber after it is pushed through the adhesive from the interior of the vehicle.



WRD-LP

Cutting Line Holder Pins

Must use accessory for windshield overhanging the pinchweld at bottom. (4pcs/set)



WPU1

Universal Wiper Arm Removal

Adjustable tool for quick and easy removal of wiper arms.



WRD-LD2

Cutting Line Dispenser 2.0

60mm silicone cup. Compatible with all available WRD Spider Line spool sizes.



WRD-LD

Cutting Line Dispenser

45mm silicone cup. Compatible with all available WRD Spider Line spool sizes.







WP2

Easy Lift

Excellent for nearly all types of wiper arm removals.



RP

Small Clip Pry Removal

Simple clip removal tool for door coverings and covering clips.



RPP

Clip Removal Pliers

Specially designed jaws provide easy removal of flush install clips and two part clips.



5PR

Pry Lever Set

5 piece set made of polycarbonate materials. Use for safe removal of door panels, trims, liner, mouldings, etc.



WRD-RRT

Rearview Removal Tool

Specialized tool for easy removal of older Ford rearview mirrors.



WRD-TK

Tap Knife

Quick quarter panel urethane cutting knife.



WRD-RM

Rubber Mallet

Polyurethane dead blow rubber mallet. 45mm (1.75") head diameter.





WRD-AD2

WRD Angle Driver 2.0

The latest angle driver, utilizing a more compact design with higher working torque.

- Overall Length: 2.91 inches (75mm.)
- Weight: 5.2 oz (147.4 gr.)
- Working Torque: 47.94 Ft-Lb (65 Nm.)
- Gear Ratio: 1.5



WRD-AD

WRD 90° Angle Driver

Recommended for use with the Spider tool on strongly curved glass panels and side glass panels. Speed reduction with a gear ratio of 1.28



WRD-S4B

S4 Bit

51mm 1/4" hex drive set for with Spider 4 system. Works with cordless drill or hand crank.



WRD-BLG

Bit Long

95mm 1/4" hex drive for use with Spider 3 and Orange Bat systems. Works with cordless drill or hand crank.



WRD-BSM

Bit Short

28.5mm 1/4" hex drive set for with Spider 3 and Orange Bat systems. Works with cordless drill or hand crank.



WRD-BIT

Bit Holder

60 mm. For use with the WRD Spider removal system.



WRD-UB

U Bit

1/4" hex U shape bit. Used as a stopper for the Orange Bat spindle.



WRD-EB

Extended Flexible Bit Holder

190mm. Bend-ability up to 20%. Use only on strongly curved glass panels and side glasses when the bit holder doesn't allow access to tool connection.



PRO6-OB

Quick Lock Bit Holder

Provides locking system for cordless drill. Used with PRO6 lift glass handling cup.

WRD-SA4

Spider 4 Cup Assembly



Screws: pg23

M3-14 Tool frame screwsM5-12 Rubber pad screwsM6-18 Metal roller screw



WRD-SC4

Spider 4 Body Components

Replacement Spider 3 tool body components.



WRD-HS4

Spindle/Shaft

Replacement spindle for the Spider 4



WRD-BB3

Ball Bearings

Ball bearings set for the Spider 4 and 3.



WRD-RO3

Metal Roller

Replacement metal roller for the Spider 4 and 3.



WRD-MH3

Metal Guide Hardware

Reverse deflection guide for the Spider 4 and 3.



WRD-PK

Replacement Plastic Knob

Plastic knob for the WRD-A2 anchor cup and Spider 4.

WRD-SA3

Spider 3 Cup Assembly





WRD-SC3

Spider 3 Body Components

Replacement Spider 3 tool body components.



WRD-HS3

Spider 3 Spindle/Shaft

Replacement spindle for the Spider 3.



WRD-BB3

Ball Bearings

Ball bearings set for the Spider 4 and 3.



WRD-RO3

Metal Roller

Replacement metal roller for the Spider 4 and 3.



WRD-MH3

Metal Guide Hardware

Reverse deflection guide for the Spider 4 and 3.



WRD-OBQCA

Orange Bat Quick Connect Assembly



WRD-QCH

Quick Connect Handle

WRD-QCDH Quick Connect Double Hook



M5-14 Rubber pad screwsM6-16 Tool frame screwsM4-12 Hand crank screwM4-W Hand crank washer

WRD-TS Spring pins





WRD-OBQCSC

Orange Bat QC Body Components

Replacement Orange Bat QC tool body components.



WRD-OBH Spindle/Shaft

Replacement spindle for the Orange Bat.



Colors:

WRD-OBBB

Ball Bearings

Ball bearings set for the Orange Bat.



WRD-OBSS

Spring Set

Replacement spring set for the Orange Bat.

COMPATIBLE ACCESSORIES



WRD-QCH

Quick Connect Handle

Plastic handle for Quick Connect port



WRD-QCDH

Quick Connect Double Hook

Metal hook for Quick Connect port

WRD-OBA

Orange Bat Assembly





WRD-OBSC

Orange Bat Body Components

Replacement Orange Bat tool body components.



WRD-OBH

Spindle/Shaft

Replacement spindle for the Orange Bat.



WRD-OBBB

Ball Bearings

Ball bearings set for the Orange Bat.



WRD-OBSS

Spring Set

Replacement spring set for the Orange Bat.

WRD-PRO6

PRO6 Cup Assembly





Pro6-HBHandle Base

Universal handle base for the PRO6 cup platform.



Pro6-AH

Anchor Hardware

Replacement component for PRO6 anchor cup.



Pro6-RH

Removal Hardware

Replacement component for PRO6 removal cup.





WRD-BB-002S

Ball Bearings

Ball bearings set for the 002S Spider tool and PRO6 system.



WRD-H-002S

002S Shaft

Replacement shaft for Spider 002S and the PRO6-R.

WRD-A3 A3 Cup Assembly





Colors:

WRD-AH3

Anchor Cup Plastic Housing

Replacement Anchor Cup Housing for WRD-AP3



WRD-AP3 Concave Rubber Pad

For A3 anchor cup. Side torque resistance replacement rubber pad.



WRD-PK

Replacement Plastic Knob

Plastic knob for the WRD-A2 anchor cup and Spider 4.





WRD-VP3

Performance Side Release Tab Suction Pad

6-inch vacuum rubber pad with easy side release tab. Compatible with Spider and Orange Bat systems.

- 12% higher gripping power
- Lower profile reduces pumping and increases pump lifespan
- Redesigned perimeter sealing edge increases reliability



WRD-VPC

Suction Cup Protective Cover

Designed to fit over WRD-VP3/VP2 suction cup to keep it free from dirt and debris.



WRD-VPF

Rubber Pad Filter

Replacement felt pad filter for the side release suction pad.



WRD-SP3

Small Suction Pump

Replacement suction pump for the Spider and Orange Bat suction pads. Features improved swivel oring.



WRD-OR

Replacement O-Ring

Replacement O-ring for the WRD-SP3 (also compatible with the WRD-SP2 and SP).



WRD-PL

Plunger Lube


Lubricant for O-ring of suction pumps (SP3, SP2, and SP).



WRD-S45

Silicon Cup - 45mm

Replacement suction cup for the H1 Hand Puller and the Line Dispenser.



WRD-S60

Silicon Cup - 60mm

Replacement suction cup for the PRO6-PP Positioning Assistant and Line Dispenser version 2.



WRD-TS

Spring Pins

Replacement spring pins for PRO6 and QC system accessories.



M3-14

M3 x 14mm Phillips



Spider tool frame screws

- Countersunk with flat top
- Set of 6pcs



M5-12

M5 x 12mm Phillips

Spider rubber pad screws

- Countersunk with flat top
 - Set of 4pcs



M6-16

M6 x 16mm Phillips

Pro6 Removal Hardware screw

- Countersunk with flat top
- Set of 4pcs



M6-18

M6 x 18mm Phillips

Spider metal roller screw

- Countersunk with flat top
- Single screw



M5-14

M5 x 14mm Phillips

Orange bat rubber pad screws

- · Countersunk with flat top
- Set of 4pcs



M6-16

M6 x 16mm Phillips

Orange Bat tool frame screws

- Countersunk with flat top
- Set of 4pcs



M5-20

M5 x 20mm Phillips

Pro6 Rubber Pad screws

- Pan head
- Set of 4pcs



M4-12

M4 x 12mm Phillips

Hand Crank screw

- Pan head
- Single screw



M4-W

M4 Washer

Hand Crank washer







WRD-PB4

Spider 4 Plastic Tool Case

Plastic shell tool case with foam inner liner for the WRD Spider 4 removal system.



WRD-PB3

Spider 3 Plastic Tool Case

Plastic shell tool case with foam inner liner for the WRD Spider 3 removal system.



WRD-OBQCPB

Orange Bat QC Plastic Tool Case

Plastic shell tool case with foam inner liner for the WRD Orange Bat QC removal system.



WRD-OBPB

Orange Bat Plastic Tool Case

Plastic shell tool case with foam inner liner for the WRD Orange Bat removal system.



WRD-SKPB

Scraper Tool Case

Small plastic shell tool case with foam inner liner for the Pro Scraper™ Kit



WRD-PBRD

4" Removal Dock Case

Small plastic shell tool case with foam inner liner for the 4" Removal Dock.



PRO6-TT

17" Tool Tote

PRO6 system carry bag and organizer. 3 large center compartments with interior and exterior pockets.





WRD-BU-001S

001S Bushing

Bronze bushing set for the 001S Spider tool





WRD Glass Tools Inc.

#5 - 2779 Lake City Way, Burnaby, BC V5A 2Z6, Canada • 778-688-4697 • www.wrdglasstools.com